# Apple Partner Security



# ÌnVue.

# Contents

| InVue Overview                   | 1  |
|----------------------------------|----|
| OneKEY Ecosystem <sup>™</sup>    | 2  |
| Our Brand Mission                | 3  |
| Keys and Accessories             | 4  |
| OneKEY (IR3)                     | 5  |
| Gen 1 Pencil                     | 6  |
| Gen 2 Pencil                     | 6  |
| Lite Security                    | 8  |
| S855V for iPhones                | 9  |
| S855V for iPads                  | 9  |
| iPad on Keyboard                 | 11 |
| WS2 for Apple Watch              | 13 |
| iPad Digital Display             | 15 |
| Medium Security                  | 16 |
| One60 for iPhones                | 17 |
| One60 for iPad                   | 17 |
| OnePOD Wearables for Apple Watch | 19 |
| iPad Digital Display             | 21 |
| High Security                    | 22 |
| One90QR for iPhones              | 23 |
| One90QR for iPads                | 23 |
| iPad on Keyboard                 | 25 |
| HSW100 for Apple Watch           | 27 |
| iPad Digital Display             |    |
| InVue Customer Service Centers   |    |

An intelligent, connected, security and merchandising technology platform that promotes and secures all merchandise at retail.



InVue is a global technology company that provides retailers and brands with innovative merchandising, software and security solutions. Our products seamlessly promote and secure retail merchandise, enhancing the in-store experience to improve our customers' profits. We back our commitment with a 90,000 square foot innovation, quality, design and service center in Charlotte, NC. Our quality control facilities in Charlotte and China, use custom designed testing equipment to simulate actual, daily instore use of our products.



# The synergy gained from aligning brand displays with existing retailer technology results in increased profits.




#### **BEST-IN-CLASS SECURITY**

Assign a unique code per store, 12 hour time-out feature for greater protection, and ability to create zones and audit employee use.

#### **IN-STORE VISIBILITY**

Monitor, understand and manage associate interactions through software analytics. Know who did what, where and when.

# Enabling an authentic brand experience.



## TECHNOLOGY

- Investing over 7%+ yearly in research and development. Custom designed testing equipment to simulate actual in-store use.
- 90,000 sq. ft innovation, quality, design and service center in Charlotte, NC.

#### FOCUS

- A history working with brands at the Headquarter, Regional and Retail level to maintain a comprehensive understanding of the brands ecosystem.
- Offering products that balance the desire for high experience with the need for security.

#### EXPERTISE

- Leveraging extensive retail experience and investments to bring innovative solutions to market.
- Broad merchandising and security portfolio alongside data and analytics that give insight into customer behavior and interactions

### **GLOBAL PRESENCE**

- Global presence and local support in 90+ countries.
- Innovative concepts that are informed by a global retail landscape.
- Dedicated white-glove service for brands at the HQ, Regional and Local levels.

# Keys and Accessories

# OneKEY

Give every associate a key to increase sales, decrease theft and improve safety.

## At a glance:

## FEATURES AND BENEFITS

- > 12 hour time out protection against key theft
- > Transfers power and data to a wide range of security products
- > Assigns a unique code to a store or department for better key management
- > Create store zones and audit use to reduce internal theft

| Order Code                       | Description                                                                                                                         | Notes            |
|----------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|------------------|
| AK4400                           | IR3 Key                                                                                                                             |                  |
| AK4408                           | IR3 Key Charger (8 ports)                                                                                                           | Requires PS515-x |
| PK4401                           | Programming Station                                                                                                                 | Requires PS512-x |
| PS515-US<br>PS515-EU<br>PS515-UK | 5V USB-A Positive Slope Power Supply - US<br>5V USB-A Positive Slope Power Supply - EU<br>5V USB-A Positive Slope Power Supply - UK |                  |
| PS512-US<br>PS512-EU<br>PS512-UK | 5.3V Micro USB Power Supply - US<br>5.3V Micro USB Power Supply - EU<br>5.3V Micro USB Power Supply - UK                            |                  |

# Apple Pencil Display Solutions

Protect and power Apple Pencil with a full customer experience.

## 1st Generation Apple Pencil

## POWERED APPLE PENCIL SENSOR

- Protects and powers Apple Pencil while allowing full customer interaction
- Smart sensor detects and charges Pencil when in resting position. Allows instant connection to iPad and iPad Pro when in use
- Protect and power up to four Apple Pencils at a time using Zips Power Four Port



## 2nd Generation Apple Pencil

## ALARM ONLY GEN 2 APPLE PENCIL SENSOR

- Mechanical alarming sensor protects Apple
  Pencil while allowing full customer interaction
- Allows Apple Pencil to be mounted on iPad for charging and display
- > Compatible with all InVue auxiliary ports
- Protect and power up to four Apple Pencils at a time using Zips Power Four Port



| Order Code                                                 | Description                                                                                           | Notes                                             |
|------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|---------------------------------------------------|
| ZA2976-W                                                   | Powered Apple Pencil Sensor (1st Generation Pencil)                                                   |                                                   |
| PS515-US<br>PS515-EU<br>PS515-UK<br>PS515-AUS<br>PS515-JPN | 5V USB-A Power Supply                                                                                 | Use ONLY if the OEM power supply is not available |
| ZA2502-W                                                   | Pencil Tray                                                                                           |                                                   |
| ZA2720-W                                                   | Zips Stylus Sensor Adhesive Mount (2 <sup>nd</sup> Generation Pencil)                                 |                                                   |
| ZB1000-W                                                   | Single Port Alarm Unit                                                                                |                                                   |
| ZB4001-W                                                   | Single Port Power Cable                                                                               | For single port alarm unit only                   |
| PS512-US<br>PS512-EU<br>PS512-UK<br>PS512-AUS<br>PS512-KR  | 5.3V, Micro USB Power Supply                                                                          | Required to power the Alarm<br>Unit               |
| ZB1001-W                                                   | Four Port Alarm Unit                                                                                  |                                                   |
| ZB3000-W                                                   | Remote IR Dot                                                                                         | For four port alarm unit only                     |
| ZB4002-W                                                   | Power Connector Cable                                                                                 | For four port alarm unit only                     |
| YLR52                                                      | 5.3VDC/6.2A Power Supply                                                                              | For four port alarm unit only                     |
| YC9<br>YC10<br>YC11<br>YC12                                | C7 AC Power Cable - USA<br>C7 AC Power Cable - UK<br>C7 AC Power Cable - EU<br>C7 AC Power Cable - AU | For four port alarm unit only                     |

# Lite Security

## Series 855V

Ultra low-profile sensor. Optimal customer experience.



## At a glance:

- Vertical display for handhelds ensures device stability
- Ultra low profile sensors minimize interference for an enhanced customer experience
- Compatible with small format bracket arms for enhanced security
- Interchangeable trays allow customers to choose preferred display tray
- 76cm (30") exposed cable disconnects at stand for easy nightly removal
- Integration with point of sale merchandising to drive compliance of brand displays



| Order Code                       | Description                                                                                                                         | Notes |
|----------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|-------|
| DCD209-W                         | S855V Vertical Handheld Alarming Stand - White                                                                                      |       |
| DCD216-W                         | S855V Tablet Display Stand - White                                                                                                  |       |
| DCD213-W                         | S855V ULP USB-C Sensor - White                                                                                                      |       |
| DCD214-W                         | S855V Lightning Sensor - White                                                                                                      |       |
| ADH2323                          | Adhesive Kit For S855V Vertical Stand                                                                                               |       |
| ADH2324                          | Adhesive Kit For S855V Vertical Sensors                                                                                             |       |
| PS515-US<br>PS515-EU<br>PS515-UK | 5V USB-A Positive Slope Power Supply - US<br>5V USB-A Positive Slope Power Supply - EU<br>5V USB-A Positive Slope Power Supply - UK |       |

## iPad Pro and Air Injected Dual Sensor

Power and Alarm for iPad Pro and Air with Smart Keyboards.



## At a glance:

- Low profile sensor injects power and secure iPad while providing full customer experience
- Lightning version available for iPad Generation 8
- Small sensor with low surface energy plate allows user to fully fold and separate keyboard from iPad Pro while maintaining security
- Zips Alarm Unit that can be mounted above or below counter



| Order Code                                                | Description                                                                                           | Notes                                                            |
|-----------------------------------------------------------|-------------------------------------------------------------------------------------------------------|------------------------------------------------------------------|
| ZA3100-W                                                  | iPad Gen 8 Injected Lightning Dual with Q/C                                                           | All generations with<br>Lightning connectors                     |
| ZA3200-W                                                  | iPad Pro & Air Injected Type-C Dual with Q/C                                                          | Pro 12.9 (3rd, 4th, 5th)<br>Pro 11.0 (1st, 2nd, 3rd) & Air (4th) |
| ZB1000-W                                                  | Single Port Alarm Unit                                                                                |                                                                  |
| ZB4001-W                                                  | Single Port Power Cable                                                                               | For single port alarm unit only                                  |
| PS512-US<br>PS512-EU<br>PS512-UK<br>PS512-AUS<br>PS512-KR | 5.3V, Micro USB Power Supply                                                                          | Required to power the Alarm<br>Unit                              |
| ZB1001-W                                                  | Four Port Alarm Unit                                                                                  |                                                                  |
| ZB3000-W                                                  | Remote IR Dot                                                                                         | For four port alarm unit only                                    |
| ZB4002-W                                                  | Power Connector Cable                                                                                 | For four port alarm unit only                                    |
| YLR52                                                     | 5.3VDC/6.2A Power Supply                                                                              | For four port alarm unit only                                    |
| YC9<br>YC10<br>YC11<br>YC12                               | C7 AC Power Cable - USA<br>C7 AC Power Cable - UK<br>C7 AC Power Cable - EU<br>C7 AC Power Cable - AU | For four port alarm unit only                                    |

## WS2

Clean, consistent display for smartwatches.



## At a glance:

- Perfect placement magnets and anti-slip pad to ensure consistent and clean display
- Utilizes universal flex sensor for improved operational efficiency and easy installation
- > Compatible with Zips for full alarm option

| Order Code                                                | Description                                                                                           | Notes                               |
|-----------------------------------------------------------|-------------------------------------------------------------------------------------------------------|-------------------------------------|
| ZW1002-W                                                  | WS2 Exposed Cord Stand Long Cable - White                                                             |                                     |
| ZW1005                                                    | WS2 Apple Charge Cradle                                                                               |                                     |
| ZW1009-B                                                  | Universal Flex Sensor                                                                                 |                                     |
| ZW1011                                                    | Apple Tray Sensor                                                                                     | 40mm                                |
| ZW1012                                                    | Apple Tray Sensor                                                                                     | 42mm                                |
| ZW1013                                                    | Apple Tray Sensor                                                                                     | 44mm                                |
| ZW1014                                                    | Apple Tray Sensor                                                                                     | 38mm                                |
| ADH2321                                                   | Adhesive Kit for WS2/W2000 Stands                                                                     | 8 pack                              |
| ZB1000-W                                                  | Single Port Alarm Unit                                                                                |                                     |
| ZB4001-W                                                  | Single Port Power Cable                                                                               | For single port alarm unit only     |
| PS512-US<br>PS512-EU<br>PS512-UK<br>PS512-AUS<br>PS512-KR | 5.3V, Micro USB Power Supply                                                                          | Required to power the Alarm<br>Unit |
| ZB1001-W                                                  | Four Port Alarm Unit                                                                                  |                                     |
| ZB3000-W                                                  | Remote IR Dot                                                                                         | For four port alarm unit only       |
| ZB4002-W                                                  | Power Connector Cable                                                                                 | For four port alarm unit only       |
| YLR52                                                     | 5.3VDC/6.2A Power Supply                                                                              | For four port alarm unit only       |
| YC9<br>YC10<br>YC11<br>YC12                               | C7 AC Power Cable - USA<br>C7 AC Power Cable - UK<br>C7 AC Power Cable - EU<br>C7 AC Power Cable - AU | For four port alarm unit only       |

# iPad Digital Display

Bracketed pedestal for utilizing iPads as digital displays on Apple Fixtures.



## At a glance:

## FEATURES AND BENEFITS

- Optional steel bracket arms depending on the security requirements
- > Wedge display pedestal for angle and height, no lift
- OEM power cable passed through for integrated charging.
  Installed separately through the tether underpass
- Optional screw mount kit available for add-on when possible with fixtures
- > InVue steel core tether cable
- iPad can be mounted in portrait or landscape mode for display





| Order Code | Description                                                                   | Notes |
|------------|-------------------------------------------------------------------------------|-------|
| DBT298-W   | OnePOD 4.0mm 4-WAY TABLET BRACKET and PLATE, WHITE                            |       |
| DBT920-W   | Non-Alarming Tethered Display Wedge with Integrated OEM Charging Cable - iPad |       |

# Medium Security

## One60

iPhone & iPad solution where high security meets high experience.





## At a glance:

- Industry leading mechanical security with steel skeleton and sensor
- › Dual 95 dB alarm
- > Quick release sensor with InVue key
- > Removable, locking power connector
- All above counter recoiler with enhanced steel cable and 15" pull length — visible steel cable resists 150 lbs pull force and 200 lbs cut force
- > 360 degree swivel or lockdown with >350 lbs pull force

- > 4-way unibody steel security arms
- > 5V/2.5A USB A PS for OEM charger compatibly
- InVue 3A USB PS535 PD option (data stand option required)
- Connected stand (optional) supports CCTV interface
- InVue Advanced Software Suite compatibility (premium stand option required)
- Split level recoilers with small form factor puck are options for One60

| Order Code                       | Description                                                                                              | Notes  |
|----------------------------------|----------------------------------------------------------------------------------------------------------|--------|
| DBD160-W                         | One60 Basic Angled Stand - White                                                                         |        |
| DBD210-W                         | One60 Alarming Sensor - White                                                                            |        |
| DBH501-W                         | OnePOD HH USB-C Power Connector - White                                                                  | 4 pack |
| DBH502-W                         | OnePOD HH Lightning Power Connector - White                                                              | 4 pack |
| DBD298                           | OnePOD 4.0 mm 4 Way HH Bracket and Plate                                                                 |        |
| DBT298                           | OnePOD 4.0 mm 4 Way Tablet Bracket and Plate                                                             |        |
| PS531-US<br>PS531-EU<br>PS531-UK | 5V, 3A (5 PIN) Power Supply - US<br>5V, 3A (5 PIN) Power Supply - EU<br>5V, 3A (5 PIN) Power Supply - UK |        |

# OnePOD Wearable

Secure, consistent display for smartwatches.



## At a glance:

- OnePOD platform design allows merchandise to be the hero
- Harness bands secure wearable to the sensor for enhanced security
- Open hoop sensor design encourages customer interaction
- Compatible with One 55, One60, and One65 standard and split level stands

| Order Code | Description                                    | Notes          |
|------------|------------------------------------------------|----------------|
| DBD910-W   | OnePOD Angled Stand Tethered                   |                |
| DBD600-W   | OnePOD Short Angled Split-level Stand          |                |
| DBD212-W   | One60 Basic Angled Stand - White               |                |
| DBD214-W   | OnePOD Wearable Harness Bands Apple Watch      | For 40mm watch |
| DBD215-W   | OnePOD Wearable Harness Bands Apple Watch      | For 44mm watch |
| DBD305     | OnePOD Recoiler for OnePOD Split-level Display |                |

# iPad Digital Display

Bracketed pedestal for utilizing iPads as digital displays on Apple Fixtures.



## At a glance:

## FEATURES AND BENEFITS

- Optional steel bracket arms depending on the security requirements
- > Wedge display pedestal for angle and height, no lift
- OEM power cable passed through for integrated charging.
  Installed separately through the tether underpass
- Optional screw mount kit available for add-on when possible with fixtures
- > InVue steel core tether cable
- iPad can be mounted in portrait or landscape mode for display





| Order Code | Description                                                                   | Notes |
|------------|-------------------------------------------------------------------------------|-------|
| DBT298-W   | OnePOD 4.0mm 4-WAY TABLET BRACKET and PLATE, WHITE                            |       |
| DBT920-W   | Non-Alarming Tethered Display Wedge with Integrated OEM Charging Cable - iPad |       |

# High Security

## One90QR

iPhone & iPad solution with high security and Quick Release.





## At a glance:

- Industry leading mechanical security
- Solid steel construction
- Quick release at sensor for nightly removal with OneKEY
- 90 degree portrait landscape rotation; full time lockdown with 400 lbs resistance
- > 4-way unibody steel security arms
- > 90 degree portrait/landscape rotation
- > OEM feed through power
- Access Manager compatible

| One90QR    | One90QR                                                |       |  |
|------------|--------------------------------------------------------|-------|--|
| Order Code | Description                                            | Notes |  |
| DBD191-W   | One90 Angled Quick Release High Security Stand - White |       |  |
| DBH298-W   | OnePOD 4.0 mm 4 Way HH Bracket and Plate - White       |       |  |
| DBT298-W   | OnePOD 4.0 mm 4 Way Tablet Bracket and Plate - White   |       |  |

# Zips High-Security iPad Brackets

High-security powered and alarming solution.



## At a glance:

- > Threaded connection to the power cable
- Magic and Smart Folio keyboards fully captured in all directions of movement, with the hinge allowing for various display placements of 11" & 12.9" iPad Pro and iPad Air
- Configured with Type C cable
- > Adhesive in addition to mechanical mounting
- Bracket arms capture iPad Pro, vertical dislodge direction is prevented by Type C connector
- Steel core cable is co-molded, connected under-table to OneKEY Padlock for added strength



| Order Code                                                | Description                                                                                           | Notes                               |
|-----------------------------------------------------------|-------------------------------------------------------------------------------------------------------|-------------------------------------|
| ZA2885-W                                                  | NEW ZIPS HS IPAD TYPE C CABLE WITH ANCHOR - WHITE                                                     |                                     |
| AF7575                                                    | NEW ZIPS IPAD PRO 11 & IPAD AIR KEYBOARD HS BRACKET                                                   |                                     |
| AF7576                                                    | NEW ZIPS IPAD PRO 12.9 KEYBOARD HS BRACKET                                                            |                                     |
| PL601                                                     | OneKEY PADLOCK                                                                                        |                                     |
| PL690                                                     | KIT BUILD PADLOCK AND ANCHOR PLATE APPLE FIXTURES                                                     | Padlock Required                    |
| ADH2364                                                   | SERVICE ADHESIVES PACK IPAD HIGH SECURITY - 2 PACK                                                    |                                     |
| ZB1000-W                                                  | Single Port Alarm Unit                                                                                |                                     |
| ZB4001-W                                                  | Single Port Power Cable                                                                               | For single port alarm unit only     |
| PS512-US<br>PS512-EU<br>PS512-UK<br>PS512-AUS<br>PS512-KR | 5.3V, Micro USB Power Supply                                                                          | Required to power the Alarm<br>Unit |
| ZB1001-W                                                  | Four Port Alarm Unit                                                                                  |                                     |
| ZB3000-W                                                  | Remote IR Dot                                                                                         | For four port alarm unit only       |
| ZB4002-W                                                  | Power Connector Cable                                                                                 | For four port alarm unit only       |
| YLR52                                                     | 5.3VDC/6.2A Power Supply                                                                              | For four port alarm unit only       |
| YC9<br>YC10<br>YC11<br>YC12                               | C7 AC Power Cable - USA<br>C7 AC Power Cable - UK<br>C7 AC Power Cable - EU<br>C7 AC Power Cable - AU | For four port alarm unit only       |

## HSW100

Powerful security for smartwatch displays.



## At a glance:

## FEATURES AND BENEFITS

- > Heavy-duty, all-metal construction delivers a truly secure display solution
- Clean, minimal, low-profile stand complements environment and engages customers, while reducing leverage points and theft access
- > Undercounter hardware that protects fixtures and countertops
- > Integrated OEM power capability for most popular Apple watch models

| Order Code | Description                           | Notes     |
|------------|---------------------------------------|-----------|
| AC271-W    | HS Wearables Low Profile Angled Stand |           |
| AC275-W    | HS Wearables Low Profile Angled Stand | 6mm Studs |
| AC 274 -W  | HS Wearables Harness Bands, Square    | (38-44mm) |

# iPad Digital Display

Bracketed pedestal for utilizing iPads as digital displays on Apple Fixtures.



## At a glance:

## FEATURES AND BENEFITS

- Optional steel bracket arms depending on the security requirements
- > Wedge display pedestal for angle and height, no lift
- OEM power cable passed through for integrated charging.
  Installed separately through the tether underpass
- Optional screw mount kit available for add-on when possible with fixtures
- InVue steel core tether cable
- iPad can be mounted in portrait or landscape mode for display





| Order Code | Description                                                                      | Notes |  |
|------------|----------------------------------------------------------------------------------|-------|--|
| DBT298-W   | OnePOD 4.0mm 4-WAY TABLET BRACKET and PLATE, WHITE                               |       |  |
| DBT920-W   | Non-Alarming Tethered Display Wedge with Integrated OEM Charging<br>Cable - iPad |       |  |

#### NORTH AMERICA

9201 Baybrook Lane Charlotte, NC 28277 United States

Phone: +1.888.55.INVUE +1.514.612.1555 (Quebec)

*Fax:* +1.704.919.3060

#### LATIN AMERICA

Av Insurgerntes Sur #730 Piso 1 Oficina 112 Col. Del Valle. C.P.03100 Mexico D.F.

Phone: +52 55.1168.9635

## EUROPE, MIDDLE EAST & AFRICA

Saturnusstraat 17d 2132 HB Hoofddorp The Netherlands

*EMEA Office Phone:* +31 (0)23 8900150

Phone: +31 23.8900150 (Netherlands) +49 (0)30.30807935 (Germany) +44 800.028.8230 (UK)

*Fax:* +31.23.8900151

#### HONG KONG

Unit 1910, 19/F Skyline Tower, 39 Wang Kwong Road, Kowloon Bay, Hong Kong SAR.

Phone: +852.3127.6811

#### SOUTH KOREA

Room 402, 4th Floor, Building 1010 Gwonseon-dong Gwonseon-gu Suwon-si, Gyeonggi-do South Korea

Phone: +82 31.222.6513 / 6523

## FOR QUESTIONS, CONTACT OUR APPLE TEAM AT

appleteam@invue.com

invue.com

©2021 InVue. No endorsement of InVue products has been made by any of the manufacturers of the products shown. Product is sold pursuant to InVue's warranty which can be found at www.invue.com/warranty.



