

OPPO Solutions

2021 Product Catalog



inVue®

Contents

InVue Overview.....	1
OneKEY Ecosystem™	2
Our Brand Mission	3
Keys.....	4
OneKEY (IR3).....	4
Secure Display	5
LTO4.....	5
Series 850.....	7
Series 960.....	9
OnePOD.....	10
One40.....	10
One55.....	11
One65.....	12
One60.....	13
One90QR	14
Series 855V.....	19
Series 2865.....	21
Zips	23
Wearables.....	25
WS2	25
W2000	26
Secure Fixtures	27
IR StopLock.....	27
T1000	29
Software Solutions.....	31
Business Solutions.....	33
NE360	33
CT101.....	36
CT80/150	38
InVue LIVE	40
S3100V.....	40
OSA Sensor	42
TV Manager	44
OneKEY (IR4).....	46
InVue Customer Service Centers.....	48

An intelligent, connected, security and merchandising technology platform that promotes and secures all merchandise at retail.



InVue is a global technology company that provides retailers and brands with innovative merchandising, software and security solutions. Our products seamlessly promote and secure retail merchandise, enhancing the in-store experience to improve our customers' profits.

We back our commitment with a 90,000 square foot innovation, quality, design and service center in Charlotte, NC. Our quality control facilities in Charlotte and China, use custom designed testing equipment to simulate actual, daily in-store use of our products.

OneKEY™

ecosystem

The synergy gained from aligning brand displays with existing retailer technology results in increased profits.




BEST-IN-CLASS SECURITY

Assign a unique code per store, 12 hour time-out feature for greater protection, and ability to create zones and audit employee use.

IN-STORE VISIBILITY

Monitor, understand and manage associate interactions through software analytics. Know who did what, where and when.

Enabling an authentic brand experience.



TECHNOLOGY

- › Investing over 7%+ yearly in research and development. Custom designed testing equipment to simulate actual in-store use.
- › 90,000 sq. ft innovation, quality, design and service center in Charlotte, NC.

FOCUS

- › A history working with brands at the Headquarter, Regional and Retail level to maintain a comprehensive understanding of the brands ecosystem.
- › Offering products that balance the desire for high experience with the need for security.

EXPERTISE

- › Leveraging extensive retail experience and investments to bring innovative solutions to market.
- › Broad merchandising and security portfolio alongside data and analytics that give insight into customer behavior and interactions

GLOBAL PRESENCE

- › Global presence and local support in 90+ countries.
- › Innovative concepts that are informed by a global retail landscape.
- › Dedicated white-glove service for brands at the HQ, Regional and Local levels.

OneKEY

Give every associate a key to increase sales, decrease theft and improve safety.



At a glance:

FEATURES AND BENEFITS

- › 12 hour time out protection against key theft
- › Transfers power and data to a wide range of security products
- › Assigns a unique code to a store or department for better key management
- › Create store zones and audit use to reduce internal theft

PRODUCT ORDERING

Order Code	Description	Notes
AK4400	IR3 Key	
AK4408	IR3 Key Charger (8 ports)	Requires PS515-x
PK4401	Programming Station	Requires PS512-x
PS515-EU PS515-UK	5V USB-A Positive Slope Power Supply - EU 5V USB-A Positive Slope Power Supply - UK	
PS512-EU PS512-UK	5.3V Micro USB Power Supply - EU 5.3V Micro USB Power Supply - UK	

LTO4

Perfect combination of security, experience and cost.



At a glance:

FEATURES AND BENEFITS

- › Alarm on Merchandise provides enhanced theft deterrence
- › Optional bracket arms provide scalable, enhanced security when and where it's needed
- › Power pass-through enables the display to be fully charged (with OEM power supply) and ready for customer trial
- › Breakaway mounting plate eliminates damage, is reusable and allows you to quickly and easily re-install the position
- › Alarming auxiliary port allows you to crossmerchandise an accessory and dramatically increases accessory sales

PRODUCT ORDERING

Order Code	Description	Notes
SLD100-W SLD100-B	LTO4 Alarm Unit, Angled - White LTO4 Alarm Unit, Angled - Black	
SLD101-W SLD101-B	LTO4 Alarm Unit, Flat - White LTO4 Alarm Unit, Flat - Black	
SLD102-W SLD102-B	LTO4 Display Only Stand, Angled - White LTO4 Display Only Stand, Angled - Black	
SLD103-W SLD103-B	LTO4 Display Only Stand, Flat - White LTO4 Display Only Stand, Flat - Black	
SLH200	LTO4 Handheld Medallion with Arms	
SLT200	LTO4 Tablet Medallion with Arms	
SLT201	LTO4 Tablet Medallion with Arms, Viper	
SLD301-W SLD301-B	LTO4 Replacement Sensor Medallion - White LTO4 Replacement Sensor Medallion - Black	
ADH2132	LTO4 Replacement Sensor Adhesive	20 pack
ADH2133	LTO4 Replacement Stand Adhesive	8 pack
CFHM01W CFHM01B	Power Connector, Handheld Micro-USB - White Power Connector, Handheld Micro-USB - Black	For SLD100 or SLD101
CFHR12W CFHR12B	Power Connector, Handheld USB-C - White Power Connector, Handheld USB-C - Black	For SLD100 or SLD101
CFTM01W CFTM01B	Power Connector, Tablet Micro-USB - White Power Connector, Tablet Micro-USB - Black	For SLD100 or SLD101
CFTR11W CFTR11B	Power Connector, Tablet USB-C - White Power Connector, Tablet USB-C - Black	For SLD100 or SLD101

Series 850

Performance and quality made easy.



At a glance:

FEATURES AND BENEFITS

- › Above counter POD simplifies installation
- › Common visual merchandising platform shared with additional InVue solutions
- › Native 2.1A power-up capability
- › Loud 95 dB alarm
- › Optional, easy to install brackets provide scalable deterrence
- › Small sensor provides minimal interference
- › Nightly removal capability by simply removing sensor from base
- › Serialized OneKEY interface provides compatibility with InVue Access Manager zone control and auditing
- › Smaller strain relief improves aesthetics while maintaining high quality and reliability

PRODUCT ORDERING

Order Code	Description	Notes
DCD106-W DCD106-B	Series 850 Angled Stand - White Series 850 Angled Stand - Black	
DCD200-W DCD200-B	Series 850 Type C Sensor - White Series 850 Type C Sensor - Black	
DCD201-W DCD201-B	Series 850 Micro USB Sensor - White Series 850 Micro USB Sensor - Black	
ADH2119	Replacement PSA - S850(Bic) & S960 Sensors	8 pack
ADH2120	Replacement PSA - S850 & S960 Angled Stand	6 pack
ADH2198	Universal Sensor PSA Kit - S850/S960	8 pack
HC7501-B	Sensor Clamp - Black	53-63mm wide; 17mm thick
HC7502-B	Sensor Clamp - Black	63-73mm wide; 17mm thick
HC7503-B	Sensor Clamp - Black	73-83mm wide; 10mm thick
HC7504-B	Sensor Clamp - Black	53-63mm wide; 10mm thick
HC7505-B	Sensor Clamp - Black	63-73mm wide; 10mm thick
HC7506-B	Sensor Clamp - Black	73-83mm wide; 17mm thick
HC7513-B	Sensor Clamp - Black	88-92mm wide; 10mm thick

Series 960

Optimal combination of design, experience, and security.



At a glance:

FEATURES AND BENEFITS

- › Minimal contemporary design
- › High consumer experience
- › Scalable security
- › Allows for cross merchandising of accessories
- › Compatible with InVue's Retail Analytics suite

PRODUCT ORDERING

Order Code	Description	Notes
DGD100-W DGD100-B	S960 Tall Angled Stand - White S960 Tall Angled Stand - Black	
DGH208-W DGH208-B	S960 HH Type C Sensor - White S960 HH Type C Sensor - Black	
ADH2198	Universal Sensor PSA Kit - S850/S960	8 pack
PS531-EU PS531-UK	5V, 3A (5-pin) Power Supply - EU 5V, 3A (5-pin) Power Supply - UK	

One40

Low profile security display.



At a glance:

FEATURES AND BENEFITS

- › Non-alarming sensor and stand
- › USB-A power interface with contact charging pins (5V, 2.5A)
- › Unibody steel security arms (2 or 4)
- › 360-degree lockdown for added security
- › Split level recoiler with standard or high security cable
- › Removable locking power connectors
- › Low profile angled puck or low profile flat stand

One55

High experience.



At a glance:

FEATURES AND BENEFITS

- › All above counter recoiler features standard cable with 32" pull length
- › Enhanced steel cable with 15" lift option
- › Alarm-on-merchandise with 95 dB alarm
- › Quick release sensor with InVue key
- › Removable, locking power connectors
- › 360-degree lockdown for added security
- › Optional unibody steel security arms (2 or 4)
- › USB-A power interface with contact charging pins (5V, 2.5A)
- › Connected stand (optional) supports CCTV interface
- › Access Manager and MicroSigns compatibility
- › Split level recoilers with small form factor puck are options for One55

One65

High experience, intelligence,
and cross-merchandising.



At a glance:

FEATURES AND BENEFITS

- › All above counter recoiler features standard cable with 32" pull length
- › Enhanced steel cable with 15" lift option
- › Dual 95 dB alarm
- › Quick release sensor
- › Removable, locking power connectors
- › 360-degree lockdown for added security
- › Powered auxiliary port for accessories
- › Optional unibody steel security arms (2 or 4)
- › Connected stand (optional) supports CCTV interface
- › InVue advanced software suite compatibility
- › Split level recoilers with small form factor puck are options for One65

One60

High security meets high experience.



At a glance:

FEATURES AND BENEFITS

- › Industry leading mechanical security with steel skeleton and sensor
- › Dual 95 dB alarm
- › Quick release sensor with InVue key
- › Removable, locking power connector
- › All above counter recoiler with enhanced steel cable and 15" pull length — visible steel cable resists 150 lbs pull force and 200 lbs cut force
- › 360 degree swivel or lockdown with >350 lbs pull force
- › 4-way unibody steel security arms
- › 5V/2.5A USB A PS for OEM charger compatibly
- › InVue 3A USB PS535 PD option (data stand option required)
- › Connected stand (optional) supports CCTV interface
- › InVue Advanced Software Suite compatibility (premium stand option required)
- › Split level recoilers with small form factor puck are options for One60

One90QR

High security with Quick Release.



At a glance:

FEATURES AND BENEFITS

- › Industry leading mechanical security
- › Solid steel construction
- › Quick release at sensor for nightly removal with OneKEY
- › 90 degree portrait landscape rotation; full time lockdown with 400 lbs resistance
- › 4-way unibody steel security arms
- › 90 degree portrait/landscape rotation
- › OEM feed through power
- › Access Manager compatible

PRODUCT ORDERING

One40		
Order Code	Description	Notes
DBD141-W DBD141-B	One40 Flat Puck - White One40 Flat Puck - Black	
DBD205-W DBD205-B	One40 Non Alarming Sensor - White One40 Non Alarming Sensor - Black	
DBD300	OnePOD Non-Connected Recoiler, Standard Cable	
DBH500-W DBH500-B	OnePOD HH USB Micro USB Power Connector - White OnePOD HH USB Micro USB Power Connector - Black	4 pack
DBH501-W DBH501-B	OnePOD HH USB Type C Power Connector - White OnePOD HH USB Type C Power Connector - Black	4 pack
DBH508-W DBH508-B	OnePOD HH USB Type C Insight Power Connector - White OnePOD HH USB Type C Insight Power Connector - Black	4 pack
ADH2180	OnePOD Sensor Adhesive Replacement	8 pack
ADH2181	OnePOD Angled Stand Adhesive Replacement	8 pack
PS531-EU PS531-UK	5V, 3A (5-pin) Power Supply - EU 5V, 3A (5-pin) Power Supply - UK	
One55		
Order Code	Description	Notes
DBD100-W DBD100-B DBD100-S	One55 Angled Standard Security Basic Stand - White One55 Angled Standard Security Basic Stand - Black One55 Angled Standard Security Basic Stand - Silver	
DBD106-W DBD106-B	One55 Flat Standard Security Basic Stand - White One55 Flat Standard Security Basic Stand - Black	
DBD101-W DBD101-B	One55 Angled Enhanced Security Basic Stand - White One55 Angled Enhanced Security Basic Stand - Black	
DBD107-W DBD107-B	One55 Flat Enhanced Security Basic Stand - White One55 Flat Enhanced Security Basic Stand - Black	
DBD102-W DBD102-B	One55 Angled Standard Security Data Stand - White One55 Angled Standard Security Data Stand - Black	
DBD108-W DBD108-B	One55 Flat Standard Security Data Stand - White One55 Flat Standard Security Data Stand - Black	
DBD103-W DBD103-B	One55 Angled Enhanced Security Data Stand - White One55 Angled Enhanced Security Data Stand - Black	
DBD109-W DBD109-B	One55 Flat Enhanced Security Data Stand - White One55 Flat Enhanced Security Data Stand - Black	

PRODUCT ORDERING

One55 (Continued)		
Order Code	Description	Notes
DBD200-W DBD200-B	One55/One65 Alarming Sensor - White One55/One65 Alarming Sensor - Black	
DBD209-W DBD209-B	One55 Display Only Sensor - White One55 Display Only Sensor - Black	
DBH500-W DBH500-B	One55/One65/One60 HH USB Micro Pwr Connector - White One55/One65/One60 HH USB Micro Pwr Connector - Black	4 pack
DBT500-W DBT500-B	One55/One65/One60 Tablet USB Micro Pwr Connector - White One55/One65/One60 Tablet USB Micro Pwr Connector - Black	4 pack
DBH501-W DBH501-B	One55/One65/One60 HH USB Type C Pwr Connector - White One55/One65/One60 HH USB Type C Pwr Connector - Black	4 pack
DBT501-W DBT501-B	One55/One65/One60 Tablet USB Type C Pwr Connector - White One55/One65/One60 Tablet USB Type C Pwr Connector - Black	4 pack
DBH282-W DBH282-B	One55/One65/One60 2 Arm Bracket Plate - White (Black HH brackets) One55/One65/One60 2 Arm Bracket Plate - Black (Black HH brackets)	
DBT282-W DBT282-B	One55/One65/One60 2 Arm Bracket Plate - White (Black tablet brackets) One55/One65/One60 2 Arm Bracket Plate - Black (Black tablet brackets)	
DBH298-W DBH298-B	One55/One65/One60 4 Arm Bracket Plate - White (Black HH brackets) One55/One65/One60 4 Arm Bracket Plate - Black (Black HH brackets)	
DBT298-W DBT298-B	One55/One65/One60 4 Arm Bracket Plate - White (Black tablet brackets) One55/One65/One60 4 Arm Bracket Plate - Black (Black tablet brackets)	
DBG400	One55/One65/One60 Magnetic Tool	4 pack
DQD405	S1060 and One55/One65 Screw Down Kit	
DBG402	One55/One65 Slot Mount Adapter Angled Stand	
DBG403-W DBG403-B	One55/One65 Insight Hub Cable - White One55/One65 Insight Hub Cable - Black	
DBG405	One55/One65/One60 Dib Cable	
DBG407-W	One65/One60 Insight Hub Cable 5.0M - White	
DBG408	One55/One65 Slot Mount Adapter Flat Stand	
ADH2180	OnePOD Sensor Adhesive Replacement	8 pack
ADH2181	OnePOD Angled Stand Adhesive Replacement	8 pack
ADH2186	OnePOD Flat Stand Adhesive Replacement	8 pack

PRODUCT ORDERING

One65		
Order Code	Description	Notes
DBD120-W DBD120-B	One65 Angled Standard Security Stand - White One65 Angled Standard Security Stand - Black	
DBD126-W DBD126-B	One65 Flat Standard Security Stand - White One65 Flat Standard Security Stand - Black	
DBD121-W DBD121-B	One65 Angled Enhanced Security Stand - White One65 Angled Enhanced Security Stand - Black	
DBD127-W DBD127-B	One65 Flat Enhanced Security Stand - White One65 Flat Enhanced Security Stand - Black	
DBD122-W DBD122-B	One65 Angled Standard Security Short Puck - White One65 Angled Standard Security Short Puck - Black	
DBD200-W DBD200-B	One55/One65 Alarming Sensor - White One55/One65 Alarming Sensor - Black	
DBD201-W DBD201-B	One65 Alarming Insight Sensor - White One65 Alarming Insight Sensor - Black	
DBH500-W DBH500-B	One55/One65/One60 HH USB Micro Pwr Connector - White One55/One65/One60 HH USB Micro Pwr Connector - Black	4 pack
DBT500-W DBT500-B	One55/One65/One60 Tablet USB Micro Pwr Connector - White One55/One65/One60 Tablet USB Micro Pwr Connector - Black	4 pack
DBH501-W DBH501-B	One55/One65/One60 HH USB Type C Pwr Connector - White One55/One65/One60 HH USB Type C Pwr Connector - Black	4 pack
DBT501-W DBT501-B	One55/One65/One60 Tablet USB Type C Pwr Connector - White One55/One65/One60 Tablet USB Type C Pwr Connector - Black	4 pack
DBH507-W DBH507-B	One65/One60 HH USB Micro Insight Pwr Connector - White One65/One60 HH USB Micro Insight Pwr Connector - Black	4 pack
DBT507-W DBT507-B	One65/One60 Tablet USB Micro Insight Pwr Connector - White One65/One60 Tablet USB Micro Insight Pwr Connector - Black	4 pack
DBH508-W DBH508-B	One65/One60 HH USB Type C Insight Pwr Connector - White One65/One60 HH USB Type C Insight Pwr Connector - Black	4 pack
DBT508-W DBT508-B	One65/One60 Tablet USB Type C Insight Pwr Connector - White One65/One60 Tablet USB Type C Insight Pwr Connector - Black	4 pack
DBH282-W DBH282-B	One55/One65/One60 2 Arm Bracket Plate - White (Black HH brackets) One55/One65/One60 2 Arm Bracket Plate - Black (Black HH brackets)	
DBT282-W DBT282-B	One55/One65/One60 2 Arm Bracket Plate - White (Black tablet brackets) One55/One65/One60 2 Arm Bracket Plate - Black (Black tablet brackets)	
DBH298-W DBH298-B	One55/One65/One60 4 Arm Bracket Plate - White (Black HH brackets) One55/One65/One60 4 Arm Bracket Plate - Black (Black HH brackets)	
DBT298-W DBT298-B	One55/One65/One60 4 Arm Bracket Plate - White (Black tablet brackets) One55/One65/One60 4 Arm Bracket Plate - Black (Black tablet brackets)	

PRODUCT ORDERING

One65 (Continued)		
Order Code	Description	Notes
DBG400	One55/One65/One60 Magnetic Tool	4 pack
DQD405	S1060 and One55/One65 Screw Down Kit	
DBG402	One55/One65 Slot Mount Adapter Angled Stand	
DBG403-W	One65/One60 Insight Hub Cable 2.5M - White	
DBG407-W	One65/One60 Insight Hub Cable 5.0M - White	
DBG405	One55/One65/One60 DIB Cable	
DBG408	One55/One65 Slot Mount Adapter Flat Stand	
ADH2180	OnePOD Sensor Adhesive Replacement	8 pack
ADH2181	OnePOD Angled Stand Adhesive Replacement	8 pack
ADH2186	OnePOD Flat Stand Adhesive Replacement	8 pack
PS531	5V, 3A Power Supply	
PS534	4-Port Power Box 5V, 3A	
PS535	USB PD Power Supply	
DBD300	OnePOD Non-Connected Recoiling Standard Cable	
DBD310	OnePOD Connected Recoiling Standard Cable	
One60		
Order Code	Description	Notes
DBD160-W DBD160-B	One60 Basic Angled Stand - White One60 Basic Angled Stand - Black	
DBD210-W DBD210-B	One60 Alarming Sensor - White One60 Alarming Sensor - Black	
DBH501-W DBH501-B	OnePOD HH USB Type C Power Connector - White OnePOD HH USB Type C Power Connector - Black	4 pack
DBD298	OnePOD 4.0 mm 4 Way HH Bracket and Plate	
PS531-EU PS531-UK	5V, 3A (5 PIN) Power Supply - EU 5V, 3A (5 PIN) Power Supply - UK	
One90QR		
Order Code	Description	Notes
DBD191-W DBD191-B	One90 Angled Quick Release High Security Stand - White One90 Angled Quick Release High Security Stand - Black	
DBH298-W DBH298-B	OnePOD 4.0 mm 4 Way HH Bracket and Plate - White OnePOD 4.0 mm 4 Way HH Bracket and Plate - Black	
ADH2180	One POD Sensor Adhesive Replacement	8 pack

Series 855V

Ultra low-profile sensor. Optimal customer experience.

At a glance:

FEATURES AND BENEFITS

- › Vertical display for handhelds ensures device stability
- › Ultra low profile sensors minimize interference for an enhanced customer experience
- › Compatible with small format bracket arms for enhanced security
- › Interchangeable trays allow customers to choose preferred display tray
- › 76cm (30") exposed cable disconnects at stand for easy nightly removal
- › Integration with point of sale merchandising to drive compliance of brand displays



PRODUCT ORDERING

Order Code	Description	Notes
DCD209-W DCD209-B	S855V Vertical Handheld Alarming Stand - White S855V Vertical Handheld Alarming Stand - Black	
DCD216-W DCD216-B	S855V Tablet Display Stand - White S855V Tablet Display Stand - Black	
DCD213-W DCD213-B	S855V ULP USB-C Sensor - White S855V ULP USB-C Sensor - Black	
ADH2323	Adhesive Kit For S855V Vertical Stand	
ADH2324	Adhesive Kit For S855V Vertical Sensors	
PS515-EU PS515-UK	5V USB-A Positive Slope Power Supply - EU 5V USB-A Positive Slope Power Supply - UK	

Series 2865

Secure and power multiple products with one system.



At a glance:

FEATURES AND BENEFITS

- › Designed for branded ecosystems, mixed-use displays and category specific displays
- › Ultra Low Profile sensor makes the product the hero and delivers a great customer experience
- › Smart voltage regulation compensates for voltage loss between the Power Box and device
- › Up to 24 powered and 24 alarming positions or 48 alarming only positions
- › Under counter components are future-proof and easily remerchandised for the addition of new products

PRODUCT ORDERING

Order Code	Description	Notes
DNC102	Low Profile Handheld Sensor Cradle - Clear	
DNC104	Custom Slotted Acrylic LP HS Stand	
DKDQ510-B	Custom Quick Connect AP Recoiler	
DKGU01-B	Alarm Unit Box Black & White IR Dot Gold LED	
DKPX08-B	S2865 8-Port Alarm Accessory Box - Black	
DKPW04-W	S2865 4-Port Alarm and Power Accessory Box - White	
DKHR901-B	S2865 Custom Type C Pocket Mount - Black	
DKPB04-B	Large Power Box 4-Port - Black	
SNYP02B	S2800 Power Supply 18V - UK - Black	
SNYP01B	S2800 Power Supply 18V - EU - Black	
YLR52	5.3VDC/6.5A Power Supply (Power Cable Not Included)	
YC10	C7 AC Power Cable - UK	
YC11	C7 AC Power Cable - EU	
PS512-EU PS512-UK	5.3V Micro USB Power Supply - EU 5.3V Micro USB Power Supply - UK	

Zips

Simple. Fast. Secure.

The only security solution for powered and non-powered electronic accessories and general merchandise on display.

At a glance:

FEATURES AND BENEFITS

- › Convertible alarm units can switch between non-powered and powered
- › Backward and forward compatibility with Zips 2.0 and Zips Power Multiport
- › Sleek and minimal design complements electronic merchandise
- › High security options for greater protection of high value electronic accessories
- › Wide variety of sensor and recoiler options
- › Under or above counter mounting options
- › Magnetic latch for multi-layered security and easy sensor detachment
- › Compatible with Access Manager and OneKEY ecosystem electronic merchandise
- › Modular solutions for display flexibility and versatility



PRODUCT ORDERING

Order Code	Description	Notes
ZB2008-W	Zips Micro Plunger Sensor Straight Cable - White	
ZB2004-W	Zips Powered Micro-USB Sensor Straight Cable - White	
ZB2005-W	Zips Powered USB-C Cable Sensor Straight Cable - White	
ZB2007-W	Zips Non-Powered USB-A Sensor Straight Cable - White	
DNL203W	Laptop/Tablet Power Injected Type-C Sensor	
ZB1000-W	Zips Single Port Alarm Unit - White	
ZB1001-W	Zips 4-Port Alarm Unit - White	
ZB3000-W	Zips 4-Port Remote IR - White	
ADH2308	Adhesive Replacement Kit for Single Port AU	8 pack
ADH2309	Adhesive Replacement Kit for 4-Port AU	8 pack
ADH2171	Replacement PSA Micro Plunger Sensor with LED	8 pack
YLR52	5.3VDC/6.5A Power Supply (Power Cable Not Included)	
YC10	C7 AC Power Cable - UK	
YC11	C7 AC Power Cable - EU	
ZB4002-W	Power Connector Cable for 4-Port AU - White	
ZB4001-W	Single Port Power Cable - White	

WS2

Clean, consistent display for smartwatches.

At a glance:

FEATURES AND BENEFITS

- › Perfect placement magnets and anti-slip pad to ensure consistent and clean display
- › Utilizes universal flex sensor for improved operational efficiency and easy installation
- › Compatible with Zips for full alarm option



PRODUCT ORDERING

Order Code	Description	Notes
ZW1001-W	WS2 Recoiler Stand Long Cable - White	
ZW1002-W	WS2 Exposed Cord Stand Long Cable - White	
ZW1009-B	Universal Flex Sensor	
ZW1015-W	Universal OEM Kit - White	
ADH2321	Adhesive Kit for WS2/W2000 Stands	8 pack

W2000

All-in-one solution for smartwatches.



At a glance:

FEATURES AND BENEFITS

- › Most comprehensive solution to power and alarm smartwatches
- › Includes integrated alarm stand with recoiler, prevents the need for a separate alarm unit
- › Optional built in Apple charger cradle can natively charge Apple watches

PRODUCT ORDERING

Order Code	Description	Notes
ZW2000-W	W2000 All Above Table Wearable Solution - White	
ZW1009-B	Universal Flex Sensor	
ZW1015-W	Universal OEM Kit - White	
ADH2321	Adhesive Kit for WS2/W2000 Stands	8 pack
PS515-EU PS515-UK	5V USB-A Positive Slope Power Supply - EU 5V USB-A Positive Slope Power Supply - UK	

IR StopLock

The flexibility to control live and locked merchandise.



At a glance:

FEATURES AND BENEFITS

- › Compatible with InVue's exclusive OneKEY and part of the OneKEY ecosystem
- › Engineered for associates to easily lock and unlock for quick planogram updates
- › StopLok provides the flexibility to protect all or a selection of merchandise on the hook
- › Cost effective solution to protect high value accessories or other merchandise
- › StopLok and Flexible Locking Hook provide a high-security solution when used together; StopLok can be purchased separately and used with existing hardware to enhance your current environment

PRODUCT ORDERING

Order Code	Frame/Body	Description	Wire Diameter
NS6B	Thin (6mm)	StopLok	5.5mm
NS6C	Thin (6mm)	StopLok	6.0mm
NS8A	Thick (8mm)	StopLok	6.4mm
NS8B	Thick (8mm)	StopLok	7.0mm
NS8C	Thick (8mm)	StopLok	8.1mm

T1000

A push button dispenser with time delay that is simple for customers and stops thieves.

At a glance:

FEATURES AND BENEFITS

- › Simple push of a button dispenses one package
- › Five second time delay deters thieves
- › Patented solution lets associates add merchandise easily but prevents sweeping
- › Easy to install, works with any planogram
- › Three coil sizes to accommodate various merchandise packaging
- › Uses MultiTool T22 bit for wallboard mounting




PRODUCT ORDERING

Dispenser & Replacement Coil		
Order Code	Description	Coil Spacing
T1040	Dispenser	15mm
T1041	Dispenser; Includes anti-jam feature	30mm
T1042	Dispenser	50mm
T1047*	Replacement Coil; Alternative pack quantities	15mm
T1048	Replacement Coil; Alternative pack quantities; Includes anti-jam feature	30mm
T1049	Replacement Coil; Alternative pack quantities	50mm
Rod		
Order Code	Wallboard / Description	Rod Length
T1046-A	American Pegboard	12" / 30.5cm
T1046-E	European Pegboard	12" / 30.5cm
T1046-S	Slatwall/Fastbak	12" / 30.5cm
T1046-UW*	Slatwall/Fastbak	12" / 30.5cm
T1046-A1	Hangbar	12" / 30.5cm
T1046-B1	Hangbar; Custom hangbar dimensions	12" / 30.5cm
T1046-B2	Hangbar; Custom hangbar dimensions	12" / 30.5cm
T1046-B3	Hangbar; Custom hangbar dimensions	12" / 30.5cm
T1046-B4	Hangbar; Custom hangbar dimensions; Left/right adjustment features	12" / 30.5cm
T1046-INS*	Hangbar: Includes insert	12" / 30.5cm
T1046-UW*	Uni-web	12" / 30.5cm
Add-Ons		
Order Code	Description	
AF6313	Multi Tool (for removal)	
T1000-MTANG*	T1000 Coil Support – Upgrade Kit	
T1046-AMETA*	American pegboard spacers	
T1046-EMETAL*	European pegboard spacers	
T1000-SHIM1	Shim (for T1046 Hangbar)	

*Non-Stock Items

InVue Software Solutions

Stay connected to what's happening in your stores.



At a glance:

FEATURES AND BENEFITS

- › Access Manager™ captures OneKEY interactions, enabling retailers to track associate activity and harness powerful analytics to decrease internal theft and improve efficiency.
- › Insight® software provides visibility to in-store activity. Track customer interaction with devices, such as lifts (how many, which devices), lift duration, and average lifts per store; planogram compliance; and security status.
- › With MicroSigns®, you can manage pricing and promotions at a corporate level to drive efficiency and ensure content is compelling, consistent and compliant across all stores. Increase customer engagement with a contactless, omnichannel experience.

PRODUCT ORDERING

Access Manager		
Order Code	Description	Notes
KT04604	Access Manager - EU Direct	
KT04749	Access Manager - EU Partner	
KT04642	Access Manager - UK Direct	
KT04748	Access Manager - UK Partner	
AK6000	Access Manager Annual License Fee	
AK5000	Setup, Training and Installation	
InVue Insight		
Order Code	Description	Notes
INS1000-W	Insight Hub - White	
INS3310-W	Insight S1060 2.5M POD/Hub Data Cables - White	4 pack
INS4000-B	USBA to Insight Power Connector - Black	
PS512-EU PS512-UK	5.3V Micro USB Power Supply - EU 5.3V Micro USB Power Supply - UK	

NE360 Mobile Payment System

Any device. Any payment. Anywhere.



At a glance:

NE360H HANDHELD & NE360T TABLET

- › Supports any handheld, tablet, payment device
- › Soft-touch handling finish
- › Tough enough to withstand a 4ft (1.2m) drop
- › Easily configure devices into case, with lockdown option to prevent removal
- › Supports USB communication between compatible devices
- › Smart charger LED indicators ensure devices are ready for use

NE360C MPOS CENTER

- › Swivel base & tablet tilt for seamless transactions
- › Easily undock or counter secure payment cradle
- › Center base includes lockdown options for enhanced security
- › Cables are easily managed and routed neatly under the table or above counter
- › Flexibility to remove/lift tablet and payment device
- › Supports USB communication between compatible devices
- › LED charging indicators ensure devices are ready for use
- › Supports custom fit-for-purpose frames available that integrate payment device with a tablet or other peripherals
- › Ability to use a single or 5-position gang charger with custom frames

PRODUCT ORDERING

NE360H Handheld		
Order Code	Description	Notes
CT3043	Handheld Case, iPhone 7/8 with Verifone E285	
CT3044	Handheld Case, iPhone 7/8 with ingenico Moby 8500	
CT3047	Handheld Case, Samsung S10 with Verifone E285	
CT3048	Handheld Case, Samsung S10 with ingenico Moby 8500	
CT3079	Handheld Case, Zebra TC2x with Verifone E285	
NE360T Tablet		
Order Code	Description	Notes
CT3025	Tablet Case, Samsung Tab A 8 T38x with Verifone E285	
CT3033	Tablet Case, iPad Mini Gen 4/5 with Verifone E280	
CT3037	Tablet Case, Microsoft Surface Go with Verifone E285	
CT3038	Tablet Case, Microsoft Surface Go with ingenico Moby 8500	
CT3051	mPOS Case Single Charger	
CT3052	mPOS Case 5up Gang Charger	
CT3053	mPOS Case counter Mount For Single Position Charger	
CT3064	mPOS Tablet Case Handstrap	
CT3065	mPOS Verifone E285 Rear Cover	
NE360 Chargers		
Order Code	Description	
CT3051	Single Charger	Requires PS565-x power supply
PS565-AUS PS565-EU PS565-JPN PS565-UK PS565-US	Single Charger Power Supply, 18V/2.78A (50W)	
CT3052	5 Position Gang Charger	Requires PS563-x power supply
PS563-AUS PS563-EU PS563-JPN PS563-UK PS563-US	Gang Charger Power Supply, 24V/13.5A (324W)	

PRODUCT ORDERING

NE360C Mobile Payment Center		
Order Code	Description	Notes
CT3003	Payment Center Stand, Swivel, Tablet Adapter	
CT3005	Payment Center HUB: 3 USB A, 1 USB C, 1 Ethernet	
CT3006	Payment Center HUB Extender Cable	
CT3009	Payment Center Tablet Case Surface GO	
CT3010	Payment Center Tablet Case Samsung Tab A 10.1 T51x	
CT3068	Payment Center Tablet Case Zebra ET5x 10in	
CT3017	Payment Center Adhesive Mount Kit	
CT3018	Payment Center Mount Adhesive Replacement	32 pieces
CT3019	Payment Center Tablet Mount Replacement Adhesive	16 pieces
CT3021	Payment Center Bolt Mount Kit	
CT3022	Payment Center Bolt Mount Replacement Adhesive	
CT3073	NE360 Payment Center Cradle Lock	
CT3007	Payment Center Tablet Adapter	
CT3074	Payment Center Tablet Adapter Handstrap Replacement	
CT3081	Payment Center Tablet Adapter Cable for Zebra ET51 10in	
CT3011	Payment Center Tablet Adapter USB-C Cable with Guide and Cap	
CT3014	Payment Center Tablet Adapter Cable Replacement Guide and Cap	4 each
CT3098	Tablet Adapter Removal Tool	
PS567-AUS PS567-EU PS567-JPN PS567-UK PS567-US	24V/5A Power Supply; 120W	Use for payment center stand
NE360 Payment Cradles		
Order Code	Description	Notes
CT3001	Ingenico Moby 8500 Cradle	
CT3002	Verifone E285 Cradle	
CT3020	Payment Device Cradle Counter/Wall Dock	
CT3066	Ingenico iSMP4 Cradle	
CT3071	Ingenico Link2500i Cradle	

CT101

Universal Tablet Stand.

Tablet Power, security, and mobility for any environment



At a glance:

FEATURES AND BENEFITS

- › Rugged all-metal stand securely mounts to any drillable surface
- › In-stand contacts charge tablet when docked to support standalone or attended use 24/7
- › IR interface is easily accessed. OneKEY or CT Key instantly unlocks tablet for mobility with no impact to transaction time
- › Easily rotate tablet between portrait and landscape orientations
- › Swivel base option rotates 180° in either direction for enhanced customer engagement
- › Base plate option for drill-free surfaces
- › Optional tablet frames provide additional protection from theft and abuse

PRODUCT ORDERING

Order Code	Description	Notes
CT1011-B	Alarming Stand	Bolt Mount
CT1011NA-B	Non-Alarming Stand	Bolt Mount
CT1012-B	Swivel Base	
CT1013-B	Adhesive Mount Base	
CT1014-B	Wall Mount Plate	
CT1011ADH-UUSB	Micro USB Adhesive Puck	
CT1011ADH-USBC	USB-C Adhesive Puck	
PS564-EU PS564-UK	5-15V/3A 45W PD Power Supply - EU 5-15V/3A 45W PD Power Supply - UK	
PS531-EU PS531-UK	5V/3A (5 Pin) Power Supply - EU 5V/3A (5 Pin) Power Supply - UK	

CT80/150

Portable all-in-one kiosk and mobile POS solution that supports all tablets.



At a glance:

FEATURES AND BENEFITS: CT80

- › Utilizes OEM power cable for charging
- › CT80 key locks thumb latch and secures tablet into stand
- › Keep thumb latch in open position to allow tablet to go from fixed to mobile with one hand

FEATURES AND BENEFITS: CT150

- › Integrated charging keeps tablet powered and ready to use
- › Wall mount option with mechanical lockdown. Face of tablet designed to be no greater than 4" from wall. (universal mount with 75mm VESA pattern)
- › Multiple stand options allow tablet to go from fixed to mobile in seconds using thumb latch, CT Key or OneKEY

PRODUCT ORDERING

Order Code	Description	Notes
CT150 Counter	Counter Mount System - Black	
CTBL001-B	Counter Stand, Latch - Black	
CT150 Wall	Wall Mount System - Black	
CTBL002-B	Wall Mount, Latch - Black	
CT150IR Counter	IR Counter Mount System - Black	
CTBR001-B	Counter Stand IR - Black	
CTLH001-B	Tablet Handle - Black	
CTBA002-B	USB-C Cable Kit - Black	
CTBA003-B	Micro USB Cable Kit - Black	
CTBA004	CT80/CT150 Bolt Mount Kit	
ADH2165	CT80/CT150 Stand and Handle Replacement Adhesive	
DNTX93	Scoop Blade Adhesive Removal Tool	
HC7430	Optional LSE Adhesive Pads	
PS566-EU	24V/2A Power Supply - EU	
PS566-UK	24V/2A Power Supply - UK	


S3100V

Stand Tall. Move Freely.

At a glance:

FEATURES AND BENEFITS

- › Consistent look and feel across tablet and smartphone displays
- › Alarm sensor cannot be blocked or disrupted
- › Streamlined sensor design provides device stability
- › Choose an Alarm Zone or Secure Zone and determine security parameters
- › Sensor alarm will sound when device crosses the zone limit
- › Optional Alarm Node flashes red and provides louder alarm to enhance display security



PRODUCT ORDERING

Stand & Sensors		
Order Code	Description	Notes
DCD300-W DCD300-B	Vertical Wireless Stand - White Vertical Wireless Stand - Black	
DCD301	Vertical Wireless Micro USB Sensor - Black or White	
DCD301W-00	Vertical Wireless Sensor Micro-USB (902MHz-928MHz) - White	
DCD301W-01	Vertical Wireless Sensor Micro-USB (855MHz-881MHz) - White	
DCD301W-06	Vertical Wireless Sensor Micro-USB (923 MHz) - White	
DCD302	Vertical Wireless Micro-USB Sensor (Reverse) - Black or White	
DCD302W-00	Vertical Wireless Micro-USB Sensor (Reverse) (902MHz-928MHz) - White	
DCD302W-01	Vertical Wireless Micro-USB Sensor (Reverse) (855MHz-881MHz) - White	
DCD302W-06	Vertical Wireless Micro-USB Sensor (Reverse) (923 MHz) - White	
DCD303	Vertical Wireless USB-C Sensor - Black or White	
DCD303W-00	Vertical Wireless USB-C Sensor (202MHz-928MHz) - White	
DCD303W-01	Vertical Wireless USB-C Sensor (855MHz-881MHz) - White	
DCD303W-06	Vertical Wireless USB-C Sensor (923 MHz) - White	
Zone Manager		
Order Code	Description	Notes
DBD701	Wireless Exclusion Zone Manager (52 cm diameter)	Requires YLRC & YC*
DBD702	Wireless Zone Manager (30 cm diameter)	Invasion/Exclusion Requires YLRC & YC*
YLR52	5.3VDC/6.5A Power Supply	
YC3 YC6 YC9 YC10 YC11 YC12 YC14	C14 AC Cable DIB/PIB - US C14 AC Cable DIB/PIB - EU C7 AC Power Cable - US C7 AC Power Cable - UK C7 AC Power Cable - EU C7 AC Power Cable - AU C7 AC Power Cable - JP	
Alarm Node		
Order Code	Description	Notes
DLD300-00W DLD300-00B	LIVE Alarm Node (902 MHz - 928 MHz) - White LIVE Alarm Node (902 MHz - 928 MHz) - Black	
DLD300-01W DLD300-01B	LIVE A DLD300-01B Alarm Node (855 MHz - 881 MHz) - White LIVE A DLD300-01B Alarm Node (855 MHz - 881 MHz) - Black	
DLD300-06W DLD300-06B	LIVE Alarm Node (AS923 MHz) - White LIVE Alarm Node (AS923 MHz) - Black	
LIVE Network		
Order Code	Description	Notes
LI6000	LIVE Annual License Fee	Per Position

OSA Sensor

Instant and Accurate.



At a glance:

FEATURES AND BENEFITS

- › Installs in seconds
- › Continuous monitoring of product availability
- › Interchangeable components easily integrate into existing furniture
- › Easily snap onto hanging hook rods
- › Quickly mounts to pegboard back walls
- › Discreetly place on at the back of shelves
- › Each sensor can be rescanned and reused to track new products

PRODUCT ORDERING

OSA Sensor		
Order Code	Description	Notes
AV1000	LIVE OSA Sensor, US902-928	
AV1001	LIVE OSA Sensor, EU863-870	
AV1006	LIVE OSA Sensor, AS923	
AV1101	General PSA Adapter, OSA Sensor	
AV1102	Hanging Adapter, OSA Sensor	
AV1103	Pegboard Adapter, US, OSA Sensor	
AV1104	Pegboard Adapter, EU, OSA Sensor	
LIVE Network		
Order Code	Description	Notes
LI6000	LIVE Annual License Fee	Per Position

TV Manager

One system to manage all your TVs.



At a glance:

FEATURES AND BENEFITS

- › Home screen provides quick status of all connected TV sensors
- › Instantly manage on/off functionality of individual TVs or all at once
- › Automate display schedules by preprogramming functionality
- › Real-time feedback on make and model of each display position
- › Detailed dashboard view provides measured data of individual TVs, including power and battery status, model number, name and position

PRODUCT ORDERING

TV Manager		
Order Code	Description	Notes
DBD704-B	InVue LIVE TV Sensor	
DBD704-00	LIVE TV Sensor (902 MHz -928 MHz)	
DBD704-01	LIVE TV Sensor (855 MHz - 8 81 MHz)	
DBD704-06	LIVE TV Sensor (AS 923 MHz)	
DBD705-00	LIVE TV Sensor Interface Cables	
LIVE Network		
Order Code	Description	Notes
LI6000	LIVE Annual License Fee	Per Position

OneKEY (IR4)

Data is the key. The key is data.



At a glance:

FEATURES AND BENEFITS

The most secure and convenient key system that enables associates to assist customers quickly and easily. Each interaction from OneKEY instantly transfers to Access Manager, where you

can assign store access zones, deauthorize keys, as well as understand who interact with what, and when. Together with InVue LIVE, you can monitor and manage store activity in real-time.

PRODUCT ORDERING

Order Code	Description	Notes
OK4000	IR4 Batch Data Key	
OK4000-S	IR4 Batch Data Key - Sounder Mode Enabled	
OK4100	IR4 OneKEY Manager	
OK4101	IR4 Communication and Power Cable	
OK4104	IR4 4-Up Charger	
OK4108	IR4 8-Up Charger	
OK4400	IR4 Live Data Key, US902-928	
OK4401	IR4 Live Data Key, EU863-870	
OK4406	IR4 Live Data Key, AS923	

INVUE CUSTOMER SERVICE CENTERS

NORTH AMERICA

9201 Baybrook Lane
Charlotte, NC 28277
United States

Phone:

+1.888.55.INVUE
+1.514.612.1555 (Quebec)

Fax:

+1.704.919.3060

LATIN AMERICA

Av Insurgentes Sur #730 Piso
1 Oficina 112
Col. Del Valle. C.P.03100
Mexico D.F.

Phone:

+52 55.1168.9635

EUROPE, MIDDLE EAST & AFRICA

Saturnusstraat 17d
2132 HB Hoofddorp
The Netherlands

EMEA Office Phone:

+31 (0)23 8900150

Phone:

+31 23.8900150 (Netherlands)
+49 0800 58 95135 (Germany)
+44 800.028.8230 (UK)

Fax:

+31.23.8900151

HONG KONG

Unit 1910, 19/F Skyline Tower,
39 Wang Kwong Road,
Kowloon Bay,
Hong Kong SAR.

Phone:

+852.3127.6811

SOUTH KOREA

A-3106, SK View Lake, 25, Beopjo-ro,
Yeongton-gu, Suwon-si, Gyeonggi-do,
Republic of Korea

Phone:

+82 31.222.6513

invue.com

©2021 InVue Security Products. No endorsement of InVue products has been made by any of the manufacturers of the products shown. Product is sold pursuant to InVue's warranty which can be found at www.invue.com/warranty.



rev. 02/18/21

